

Aero Design Ltd.**Work Order Control Sheet****Work Order#:** 2014-76 **Date Opened:** 23 Sep 2014 **Title:** Assembly**Aircraft OEM:** Eurocopter **Aircraft Model:** AS350/355 **Product Type:** Cargo Basket **Product Model:** Long **Quantity:** 1**Work Order Contents**

Work Order/Build Sheets (Procedures Provided)
Additional Work Sheets (Standard Practice)
Drawings (See List Below)
Parts Distribution Sheet
Sub Component Tags
Completed Certification (Original)
Time Sheet (R&D)
Notes

Initial or N/A

JR
N/A
JR
JR
JR
JR
N/A
N/A

Build Sheet Contents

Tasks Initialled
Dual Inspections Initialled

Initial or N/A

JR
JR

Drawing List

Drawing #	Rev #	Description	Initial or N/A
78401	3	Installation	JR
78410	1	Basket	JR
78427	1	Data Plate	JR

Traveller

Install walkway on lid
Install lid on basket body
Re-tap mounting lug holes and install mount lugs
Install handle brackets
Install handle
Install lid prop
Install data plate

Initial or N/A

JR
JR
JR
JR
JR
JR
JR

Work performed by:

ICC / Dual Inspection performed by:

Work Order closed by:

Print: Jason RekvePrint: J Rekve for M RekvePrint: Jason RekveSign: Jason RekveSign: Jason RekveSign: Jason Rekve**Component Completion**

Quantity Complete on This Work Order
Quantity Incomplete on This Work Order
Further Processing Required Before Release
Release to Stock as Components

As Instructed

1
N/A
N/A
N/A

Certification

Form One Completed
Serviceable (Green) Tag Completed
In Process (Yellow) Tag Completed
Unserviceable (Red) Tag Completed
Parts Placed in Stores for Distribution

Initial or N/A

JR
N/A
N/A
N/A
N/A

Additional Documentation

Documentation of a minor change
Non-Conformance Report Required
Service Difficulty Report Required

Initial or N/A

N/A
N/A
N/A

Billing

Local (Aero Design)
Research and Development
Third Party

Initial or N/A

JR
N/A
N/A

SCA: AD-01SCA: AD-01SCA: AD-01Date: 23-Sep-14Date: 24-Sep-14Date: 24-Sep-14

1. Approving Civil Aviation Authority/Country Transport Canada		2. AUTHORIZED RELEASE CERTIFICATE FORM ONE			3. Form Tracking No. 20.E.01 Rev. 1, 24 April 2014	
4. Organization Name and Address Aero Design Ltd. – 9888 A Malaspina Rd. Powell River, BC, V8A 0G3					5. Work Order/Contract/Invoice 2014-76	
6. Item	7. Description	8. Part Number	9. Qty.	10. Serial/Batch No.	11. Status/Work	
	Cargo Basket	78410-01	1	78401-52	New	
12. Remarks						
13a. Certifies that the items identified above were manufactured in conformity to: x Approved design data and are in condition for safe operation. <input type="checkbox"/> Non approved design data specified in block 12.				<div style="border: 1px solid black; padding: 5px;"> 14a. <input type="checkbox"/> CAR 571.10 Maintenance Release <input type="checkbox"/> Other regulation specified in block 12 Certifies that unless otherwise specified in block 12, the work identified in block 11 and described in block 12, has been performed in compliance with the Canadian Aviation Regulations. </div>		
13b. Signature		13c. Approved Organization Number		14b. Signature		14c. Approved Organization Number
		AMF 73-04				
13d. Name		13e. Date (dd/mmm/yyyy)		14d. Name		14e. Date (dd/mmm/yyyy)
Jason Rekve		23 Sep 2014				
Installer Responsibilities						
This certificate does not constitute authority to install. Installers working in accordance with the national regulations of a country other than that specified in block 1 must ensure that their regulations recognize certifications from the country specified. Statements in blocks 13a or 14a do not constitute installation certification. In all cases, the technical record for the aircraft must contain an installation certification issued in accordance with the applicable national regulations before the aircraft may be flown.						



Aero Design Ltd.

9888 A Malaspina Rd., Powell River, BC
V8A 0G3, 604-483-AERO (2376)

Quantity: 1

PN: 78411-01

Aircraft: Eurocopter

Model: AS350/355

Description: Long Basket Body

Supplier: Aero Design

Color: Black

WO#: 2014-03

PO# N/A



Aero Design Ltd.

9888 A Malaspina Rd., Powell River, BC
V8A 0G3, 604-483-AERO (2376)

Quantity: 1

PN: 78412-01

Aircraft: Eurocopter

Model: AS350/355

Description: Long Basket Lid

Supplier: Aero Design

Color: Black

WO#: 2014-03

PO# N/A



Aero Design Ltd.

9888 A Malaspina Rd., Powell River, BC
V8A 0G3, 604-483-AERO (2376)

Quantity: 1
PN: 84255-01
Aircraft: Eurocopter
Description: Long Basket Handle
Supplier: Aero Design
Color: SS
WO#: 2014-61

Model: AS350/355

PO# N/A



Aero Design Ltd.

9888 A Malaspina Rd., Powell River, BC
V8A 0G3, 604-483-AERO (2376)

Quantity:	2
PN:	84267-01
Description:	Cargo Basket Handle Bracket
Supplier:	Aero Design
PO#:	
WO#:	2014-48



Aero Design Ltd.

9888 A Malaspina Rd., Powell River, BC
V8A 0G3, 604-483-AERO (2376)

Quantity: 1

PN: 5 7/8

Aircraft: All

Model: All

Description: Tread Plate

Supplier: Aero Design

Color: Aluminum

WO#: N/A

PO# 13066

CARGO BASKET ASSEMBLY - COMMON

General

These instructions apply to all cargo basket assemblies. Refer to the following drawings, at the current revision, for dimensions and details:

Bell 206L/407 – Right side only

69810, Revision 3 – Standard Low Mounted Basket
94510, Revision 0 – Extra-Wide Low Mounted Basket
94610, Revision 0 – Extra-Wide Low Mounted Ski Basket
76610, Revision 0 – High Mounted Ski Basket

Eurocopter AS350/AS355 – left or right

77610, Revision 1 – Short Basket
76410, Revision 3 – Medium Basket (left or right)
78410, Revision 2 – Long Basket
94010, Revision 0 – Extra Large (ski) Basket

Robinson R44 – left or right

90610, Revision 0 – Standard Basket (left or right)

Bell 206B – right side only

80210, Revision 0 – Short Basket
80310, Revision 0 – Medium Basket
81110, Revision 0 – Long Basket

Bell 429 – right or left

95911, Revision 0 – Standard Basket

Bell Medium – left or right

75111, Revision 0 – Standard Basket
95511, Revision 0 – Extra Large (ski) Basket

MD600

82811, Revision 0 – Standard Basket

Options

70405, Revision 3? – Lid Walkway

CARGO BASKET ASSEMBLY - COMMON

Complete
(initial or SCA #)

Work Order: 2014-76

Date Open: ^{dh}23 Sep 14

AK

1. Lid Assembly

- a. Install lid bumpers on bottom.
 - i. Fill bumper holes with RTV silicone sealant.
 - ii. Insert 49205-14 lid bumper, 3 or 4 places per lid.
- b. Install placard on bracket on top of lid.
 - i. Locate placard on bracket.
 - ii. Drill #30 through placard and bracket, using holes in placard.
 - iii. Remove placard and de-burr holes in placard and on bracket.
 - iv. Locate placard on bracket, and cleco in place.
 - v. Rivet placard with four CR3213-4-02 CherryMax rivets.
- c. Option: Install walkway on top of lid (lid must be fitted with walkway provisions)
 - i. Note: avoid touching surface of tread plate with bare hands to prevent smudges or marks on the top surface.
 - ii. Pull tread plate from stock. Shear tread plate to length.
 - iii. De-burr edges of tread plate with scotch-brite disc on die-grinder.
 - iv. Locate tread plate on lid. Hold tread plate in place with bags of lead shot.
 - v. Mark and drill #30 holes:
 1. 0.25" from edge of tread plate, centre on cross members (0.38")
 2. 0.25" from edge of tread plate, middle of each walkway stringer
 - vi. De-burr and counter-bore (if required to provide clearance of rivet head on checker pattern) all holes in tread plate using 1/4" piloted counter bore on both sides.
 - vii. De-burr holes in lid tubes.
 - viii. Apply bead of RTV silicone sealant along all tubes under tread plate.
 - ix. Set tread plate in place, secure with clecos if necessary.
 - x. Rivet placard with CR3213-4-02 CherryMax rivets
- d. Record PO/WO of all parts (including lid) used in steps above on attached material tracking list.

AK

2. Body Assembly

- a. Install attachment fittings
 - i. Carefully remove excess powder coat from around attachment lug threads using a countersink.
 - ii. Run 3/8-24 tap into attachment lugs to clear threads.
 - iii. Apply anti-seize compound to attachment fittings 96710-01 (alternate: Ancra 40088-14)
 - iv. Install attachment fittings with two NAS1149F0363P washers in four lugs in basket.
 1. 90610 (Robinson R44) basket only:
 - a. Install 1 fitting 906?? in lower forward attachment lug only.
 - b. Install 3 96710-01 fittings in remaining locations.
 - v. Torque to ??

- b. 946 Basket Only: Install Cutout Brace – *must be completed after hinge installation*
 - i. Locate 94621-01 Brace over aft cross tube cutout
 - ii. Install two AN4-6A bolts and two AN4-30A bolts with NAS1149F0463P washers.
 - iii. Torque AN4 bolts to ??
- c. Record PO/WO of all parts (including basket) used in steps above on attached material tracking list.

3. Hinge Installation

- a. Prepare hinge.
 - i. Cut hinge to length:
 - 1. 776, 906 – 54"
 - 2. 751, 803 – 70"
 - 3. 698, 764, 945 – 72"
 - 4. 784 – 90"
 - 5. 940, 946, 959 – 95"
 - ii. Drill #30 pilot holes using hinge jig. For long hinges, flip at specified location on jig.
- b. Install hinge on basket
 - i. Locate hinge on basket (standard baskets)
 - 1. centre fore/aft
 - 2. 0.15" – 0.18" up from bottom edge
 - ii. Locate hinge on basket (extra wide baskets)
 - 1. centre fore/aft
 - 2. set hinge at 90 degrees (as if lid would be installed) using a small square, locate vertical side at 22.5" from outboard edge.
 - iii. Drill #30 through holes in hinge into basket rim. Cleco in place with 1/8 (copper) clecos.
 - iv. Drill holes up to #21 through hinge and rim. Replace 1/8 clecos with 5/32 (black) clecos.
 - v. Remove hinge and de-burr holes in hinge and basket rim.
 - vi. Cleco hinge to basket with 5/32 clecos.
 - vii. Install hinge with CherryMax rivets
 - 1. CR3523-5-02 monel rivets – last 2 rivets in each end
 - 2. CR3213-5-02 aluminum rivets – all other locations
- c. Install lid on basket
 - i. Locate lid on hinge (all baskets)
 - 1. center fore/aft
 - 2. 0.15" – 0.18" down from top edge
 - ii. Drill #30 through holes in hinge into lid rim. Cleco in place with 1/8 clecos.
 - iii. Drill holes up to #21 through hinge and rim. Replace 1/8 clecos with 5/32 clecos.
 - iv. Remove hinge and de-burr holes in hinge and lid rim.
 - v. Cleco lid to hinge with 5/32 clecos.
 - vi. Install hinge with CherryMax rivets
 - 1. CR3523-5-02 monel rivets – last 2 rivets in each end
 - 2. CR3213-5-02 aluminum rivets – all other locations

CARGO BASKET ASSEMBLY - COMMON

Complete
(initial or SCA #)

- d. Record PO of hinge and rivets on attached material tracking list.

AK

4. Install Handle

a. Install handle brackets.

- i. Set 84267-01 handle bracket on provisions in hoops, 2 places.
- ii. Install AN3-11A bolt, NAS1149F0363P washer (2), MS21044N3 nut. Two places per bracket, two brackets per basket.
- iii. Torque AN3 bolts to ??.

b. Install handle

- i. Trim 36278-01R and 36278-01L springs to ensure end of spring does not extend past edge of handle bracket, approximately 1/8". Set springs over bushing of 84261-01 handle assembly.
- ii. Grease two 36275-01 bushings with ??. Insert into bushings of handle assembly.
- iii. Locate handle on basket lid. Insert AN3-12A bolt with NAS1149F0363P through bracket on lid and handle bushing on one end of handle.
- iv. On other end of handle, hook spring over catch rivet on handle assembly and use spring tool to twist spring to catch arm on bracket on lid while inserting AN3-12A bolt with NAS1149F0363P washer through lid bracket and handle bushing.
- v. At first end, remove bolt and repeat step iv.
- vi. Install NAS1149F0363P washer and MS21044N3 nut on both AN3-12A bolts.
- vii. Torque AN3 bolts to ??.

c. Check handle

- i. Operate handle to ensure handle does not bind and springs hold handle in.
- ii. Snap handle into brackets to ensure handle locks.

- d. Record PO/WO of all parts used in steps above on attached material tracking list.

5. Install lid brace

AK

- a. Locate 36280-01 lid brace on bushing in basket. Ensure brace is on forward end of basket as it will be installed on the helicopter.
- b. On lid end, insert AN970-3 washer into end of lid brace. Insert AN3-15A bolt with NAS1149F0363P washer through AN970-3 washer, lid prop, and lid bushing. Install NAS1149F0363P washer and MS21044N3 nut on bolt.
- c. On basket end, insert AN3-17A bolt with AN970-3 washer through lid prop and basket bushing. Install NAS1149F0363P washer and MS2144N3 nut on bolt.
- d. Ensure brace is seated on lip of bushings before tightening nuts.
- e. Torque AN3 bolts to ??
- f. Record PO/WO of all parts used in steps above on attached material tracking list.

CARGO BASKET ASSEMBLY - COMMON

Complete
(initial or SCA #)

OK




6. Final Inspection

Dual inspection by a different person than assembled the basket.

- a. Check for general condition and correct assembly:
 - i. Bolts are tight
 - ii. Rivets are installed correctly
 - iii. Handle operates correctly
 - iv. Lid brace operates correctly
- b. Check that PO/WO numbers have been recorded.

2014-76

REV.	DESCRIPTION OF CHANGE	INITIALS	DATE
0	INITIAL ISSUE		
1	CHANGED HANDLE CONFIGURATION, REMOVED ALTERNATE BASKET	EW	27 JAN 10



DETAIL A
SCALE 1 : 2
TYPICAL FRONT AND REAR

NOTE:
1. ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY. DIMENSIONS OF COMPONENTS AND COMPLETE ASSEMBLY ARE DETERMINED IN PREVIOUS STEPS.

01 CARGO BASKET ASSEMBLY

A/R	AN800-618	WASHER				
4	4008B-14	FITTING	ANCHOR			
8	CR3223-5-02	CHEERRY RIVET				
A/R	CR3213-5-02	CHEERRY RIVET				
4	CR3213-4-02	CHEERRY RIVET				
3	40205-14	08 BUMPER	80205-14			
1	78427-01	08 PLACARD				
1	84255-01	07 HANDLE BAR INSTALLATION				
A/R	MS3000-08	08 PLANO HINGE			B2 LONG	
1	34390-01	03 BRACE ASSEMBLY				
1	78412-01	04 LID ASSEMBLY				
1	78411-01	03 BASKET BODY ASSEMBLY				
		02				
	78410-01	01 CARGO BASKET ASSEMBLY				
Q1	PART NO.	ITEM	DESCRIPTION	MATERIAL	MATERIAL SPEC	STOCK SIZE
QTY	LIST OF MATERIALS					


LIST OF MATERIALS

BASIC CODE	DASH NO. FOR DIAMETER	APPROVALS	DATE
REF. HAS 523	N=NO. HEAD NEAR SIDE	DRAWN: R. RATHWELL	19 FEB 08
C-COUNTERSINK	F=NO. HEAD FAR SIDE	CHECKED: E. BURROON	
D=OMPLE	DASH NO. FOR LENGTH		
DIGIT=J OF SHEETS			
TO BE OMPLED			
BASIC CODES:			
B1=MS20470AD	+	INSTALL NEW RIVET	
B8=MS20428AD	+	REMOVE/REPLACE RIVET	
ARH=CR3213	-	EXISTING RIVET	
ATM=CR3523			


EUROCOPTER AS350 & AS355 SERIES
QUICK RELEASE SKI BASKET
BASKET ASSEMBLY

SCALE 1 : 4	QTY	REV.
SCALE 1 OF 1	A1	78410
		1

DRILL 0.25 INTO LID
ENSURE CLEARANCE FROM MESH
3 PLACES MIN






BUMPER INSTALLATION
SCALE 1 : 1



DETAIL C
SCALE 1 : 1
LOOKING AT PLACARD BRACKET

THIS DRAWING CONTAINS INFORMATION AND DATA WHICH IS PROPRIETARY TO AERO DESIGN LTD. THIS DRAWING OR ANY PORTION THEREOF, MAY NOT BE REPRODUCED, COPIED, OR DISSEMINATED IN ANY MANNER, NOR USED FOR MANUFACTURING WITHOUT THE WRITTEN CONSENT OF AERO DESIGN LTD. BY ACCEPTING THIS DRAWING FOR REFERENCE, THE RECIPIENT AGREES TO HOLD AERO DESIGN LTD. HARMLESS FROM THE USE, OR MISUSE, OF THE INFORMATION CONTAINED HEREIN.			
REV.	DESCRIPTION OF CHANGE	INITIALS	DATE
0	INITIAL ISSUE	RR	25 JAN 08
1	CHANGED ATTACH HOOP FROM 76423-01 TO 76423-07	RR	05 MAR 09
2	CHANGED HANDLE BRACKET, REMOVED ALTERNATE BASKET	BLC	28 JAN 10
3	TYPE BLOCK UPDATED, WELDING ROD UPDATED, REFERENCE DIMS ADDED, SPACER (07) MOVED, CAP (10) ADDED	BLC	11/07/2014




01 BASKET BODY ASSEMBLY







NOTES:

1. REMOVE ALL BURRS AND BREAK SHARP EDGES
2. PRIOR TO WELDING, DRILL #30 (0.120) VENT HOLES IN ASSEMBLY FOR VENTING OF WELD GASES. WHEN ASSEMBLY IS COMPLETE, FILL ALL EXPOSED VENT HOLES WITH ROSETTE WELD.
3. WELDING OF 4130 STEEL TO BE COMPLETED BY GTAW METHOD TO AMS 2685C.
4130 AND 1018 STEEL: WELDING ROD SHALL CONFORM TO ER70S-2 OR EQUIVALENT.
STAINLESS AND 4130 STEEL: WELDING ROD SHALL CONFORM TO ER308L OR EQUIVALENT.
4. INSTALL ITEM 8 (BASKET HANDLE PROVISIONS ASSEMBLY) IN ACCORDANCE WITH AERO DESIGN LTD. DRAWING 84262 BEFORE WELDING HOOPS TO RIM.
5. FINISH: THOROUGHLY CLEAN AND POWDER COAT BASKET ASSEMBLY.

2	--	10	CAP	MILD STEEL	AMS 1010/1020	0.050 SHEET
A/R	3/4 - 16F	09	MESH	MILD STEEL	COMMERCIAL	
1	84282-01	08	BASKET HANDLE PROVISIONS ASSEMBLY	ASSEMBLY		
2	49215-01	07	SPACER			
4	76421-01	06	HOOP			
2	76423-07	05	ATTACHMENT HOOP			
A/R	--	04	SQUARE TUBE	4130 STEEL COND. N	MIL-T-6736	1/2 X 0.035 SQR TUBE
A/R	--	03	SQUARE TUBE	4130 STEEL COND. N	MIL-T-6736	3/4 X 0.035 SQR TUBE
02						
78411-01	01		BASKET BODY ASSEMBLY			
01	PART NO.	ITEM	DESCRIPTION	MATERIAL/NOTE	MATERIAL SPEC	STOCK SIZE
QTY						

APPROVALS		DATE		AERO DESIGN LTD.		
DRAWN:	R. RATHWELL	25 JAN 08		9808A MALASPINA ROAD		
CHECKED:	E. BURGOIN			POWELL RIVER, BC, CANADA, V8A 0G3		
				TEL: 604.480.3270 www.aerodesign.ca		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. TOLERANCES ON:			EUROCOPTER AS350 & AS355 SERIES QUICK RELEASE CARGO BASKET BASKET BODY ASSEMBLY (LONG)			
DECIMALS			ANGLES			
X.XXX	±0.010		±1/2°			
X.XX	±0.03					
X.X	±0.1					
SCALE 1 : 4			DWG. SIZE	DWG. NO.	REV.	
SHEET 1 OF 1			A1	78411	3	

THIS DRAWING CONTAINS INFORMATION AND DATA WHICH IS PROPRIETARY TO AERO DESIGN LTD. NO DRAWING OR ANY PORTION THEREOF, MAY NOT BE REPRODUCED, COPIED, OR DUPLICATED IN ANY MANNER, NOR USED FOR MANUFACTURING WITHOUT THE WRITTEN CONSENT OF AERO DESIGN LTD. BY ACCEPTING THIS DRAWING FOR REFERENCE, THE RECIPIENT AGREES TO HOLD AERO DESIGN LTD. HARMLESS FROM THE USE, OR MISUSE, OF THIS DRAWING OR THE INFORMATION CONTAINED THEREIN.			
REV.	DESCRIPTION OF CHANGE	INITIALS	DATE
0	INITIAL ISSUE		
1	CHANGED HANDLE BRACKETS, REMOVE ALTERNATE LID	BUC	30 JAN 10
2	TITLE BLOCK UPDATED; 84262 CHANGED TO 84263; WELDING ROD UPDATED.	BUC	16/07/2014
	# OF WELDS DOWN BRACE TUBES INCREASED; REFERENCE DIMENSIONS ADDED		
	1/4" HOLES FOR BUMPERS ADDED; VIEW D ADDED		



- NOTES:
1. REMOVE ALL BURRS AND BREAK SHARP EDGES.
 2. WELDING OF 4130 STEEL TO BE COMPLETED BY GTAW METHOD TO AMS 2685C.
 3. 4130 AND 1018 STEEL: WELDING ROD SHALL CONFORM TO ER70S-2 OR EQUIVALENT.
 4. STAINLESS AND 4130 STEEL: WELDING ROD SHALL CONFORM TO ER308L OR EQUIVALENT.
 5. INSTALL ITEM 5 (LID HANDLE PROVISIONS ASSEMBLY) IN ACCORDANCE WITH AERO DESIGN LTD. DRAWING 84263.
 6. DRILL #30 (0.125) HOLES IN LONG TUBE MEMBERS AT BRACE LOCATIONS TO VENT WELD GASSES. WHEN ASSEMBLY IS COMPLETE, FILL ALL EXPOSED VENT HOLES WITH ROSETTE WELD.
 7. FINISH: THOROUGHLY CLEAN AND POWDER COAT LID ASSEMBLY.

A/R	3/4-16F	07	MESH				
1	36204-10	08	PLACARD BRACKET				
1	84263-01	05	LID HANDLE PROVISIONS ASSEMBLY				
2	49216-01	04	SPACER				
A/R	--	03	SQUARE TUBE	4130 STEEL COND N.	MIL-T-8750	3/4 X 0.035 SQR TUB	
		02					
	78412-01	01	BASKET LID ASSEMBLY				
Q1	PART NO.	ITEM	DESCRIPTION	MATERIAL	MATERIAL SPEC	STOCK SIZE	
QTY	LIST OF MATERIALS						
APPROVALS				DATE			
DRAWN: R. RATHWELL				19 FEB 08			
CHECKED: E. BURGOIN							
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. TOLERANCES ON:							
DECIMALS				ANGLES			
X.XXX ±0.010				±1/2°			
X.XX ±0.03							
X.X ±0.1							

2014-76

REV.	DESCRIPTION OF CHANGE	INITIALS	DATE
0	INITIAL ISSUE		
1	INCREASE LOAD TO 250 LBS / 113 KG	BJC	JAN 27/10

NOTES

- ENGRAVE 0.007 DEEP AS FOLLOWS:
 "QUICK RELEASE BASKET" - 0.125 HIGH
 "EUROCOPTER AS350 & AS355 SERIES" - 0.080 HIGH
 "S/N 78401-XX" - 0.080 HIGH
 "MAXIMUM PERMISSIBLE LOAD" - 0.125 HIGH
 "250 LBS/113 KG" - 0.200 HIGH
 "AERO DESIGN LTD." - 0.125 HIGH
 "CALGARY, ALBERTA, CANADA" - 0.080 HIGH
 "403-250-8027" - 0.080 HIGH

DRILL #30 (0.129)
4 PLACES



01 PLACARD

78427-01	01	PLACARD	6061-T6 ALUMINUM	QQ-A-250/11	0.063 SHEET
PART NO.	ITEM	DESCRIPTION	MATERIAL	MATERIAL SPEC	STOCK SIZE

LIST OF MATERIALS

THIS DRAWING CONTAINS INFORMATION AND DATA WHICH IS PROPRIETARY TO AERO DESIGN LTD. THIS DRAWING, OR ANY PORTION THEREOF, MAY NOT BE REPRODUCED, COPIED, OR DUPLICATED IN ANY MANNER, NOR USED FOR MANUFACTURING WITHOUT THE WRITTEN CONSENT OF AERO DESIGN LTD. BY ACCEPTING THIS DRAWING FOR REFERENCE, THE RECIPIENT AGREES TO HOLD AERO DESIGN LTD. HARMLESS FROM THE USE, OR MISUSE, OF THIS DRAWING OR THE INFORMATION CONTAINED THEREON.	APPROVALS DRAWN: R. RATHWELL CHECKED: E. BURGOIN	DATE 18 FEB 08	AERO DESIGN LTD. CONSULTING ENGINEERS, TRANSPORT CANADA APPROVALS, DAR 290M 2013 - 39TH AVENUE N.E., CALGARY, ALBERTA, CANADA, T2E 6R7 tel: (403) 250-8027 fax: (403) 250-8333 www.aerodesign.ca			
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. TOLERANCES ON: DECIMALS ANGLES X.XXX ±0.010 ±1/2° X.XX ±0.03 X.X ±0.1		EUROCOPTER AS350 & AS355 SERIES QUICK RELEASE CARGO BASKET PLACARD			
	SCALE 1 : 1 SHEET 1 OF 1		DWG. SIZE A1	DWG. NO. 78427	REV. 1	

Aero Design

Parts Distribution Sheet

Description: Basket Assembly Kit

WO# 2014-76

[illegible]